## Idaho Bureau of Emergency Medical Services & Preparedness Basic Life Support Psychomotor Examination



## PATIENT ASSESSMENT/MANAGEMENT – TRAUMA

Candidate: Examiner:		
Date: Signature:		_
Scenario #:		
Actual Time Started:		
	Possible	Points
NOTE A 1 (1) (See 1 ) (1) (See 1 )	Points	Awarded
NOTE: Areas denoted by "**" may be integrated within sequence of Primary Survey/Resuscitation		
Takes or verbalizes appropriate body substance isolation precautions	1	
SCENE SIZE-UP	<del>.</del>	
Determines the scene/situation is safe	1	
Determines the mechanism of injury/nature of illness	1	
Determines the number of patients	1	
Requests additional EMS assistance if necessary	1	
Considers stabilization of the spine	1	
PRIMARY SURVEY/RESUSCITION		
Verbalizes general impression of the patient	1	
Determines responsiveness/level of consciousness	1	
Determines chief complaint/apparent life-threats	1	
Airway	2	
-Opens and assesses airway (1 point) -Inserts adjunct as indicated (1 point)	2	
Breathing		
-Assesses breathing (1 point)		
-Assures adequate ventilation (1 point)	4	
-Initiates appropriate oxygen therapy (1 point)		
-Manages any injury which may compromise breathing/ventilation (1 point)		
Circulation		
-Checks pulse (1 point)		
-Assesses skin [either skin color, temperature or condition] (1 point)	4	
-Assesses for and controls major bleeding if present (1 point)		
-Initiates shock management [positions patient properly, conserves body heat] (1 point)		
Identifies patient priority and makes treatment/ transport decision (based on calculated GCS)	1	
HISTORY TAKING		
Attempts to obtain sample history	1	
SECONDARY ASSESSMENT		
Head		
-Inspects mouth**, nose** and assesses facial area (1 point)		
-Inspects and palpates scalp and ears (1 point)	3	
-Assesses eyes** (1 point)		
Neck**		
-Checks position of trachea (1 point)		
-Checks jugular veins (1 point)	3	
-Palpates cervical spine (1 point)		
Chest**		
-Inspects chest (1 point)		
-Palpates chest (1 point)	3	
-Auscultates chest (1 point)		
Abdomen/pelvis**		
-Inspects and palpates abdomen (1 point)		
-Assesses pelvis (1 point)	3	
-Verbalizes assessment of genitalia/perineum as needed (1 point)		
Lower extremities**		
-Inspects, palpates and assesses motor, sensory and distal circulatory functions (1 point/leg)	2	
Upper extremities		
-Inspects, palpates and assesses motor, sensory and distal circulatory functions (1 point/arm)	2	
Posterior thorax, lumbar and buttocks**		
-Inspects and palpates posterior thorax (1 point)	2	
-Inspects and palpates lumbar and buttocks areas (1 point)		
VITAL SIGNS  Obtains have live a few at include DR D. D. (1 and 12)	Ι .	T T
Obtains baseline vital signs [must include BP, P, R] (1 point)	1	
Manages secondary injuries and wounds appropriately	1	<u> </u>
REASSESSMENT		
Demonstrates how and when to reassesses the patient	1	
Actual Time Ended:	TOTAL 42	I

Critical Criteria
Failure to take or verbalize body substance isolation precautions
Failure to initiate or call for transport of the patient within 10 minute time limit
Failure to determine scene safety
Failure to assess for and provide spinal protection when indicated
Failure to voice and ultimately provide high concentration of oxygen
Failure to assess/provide adequate ventilation
Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock
Failure to differentiate patient's need for immediate transportation versus continued assessment/treatment at the scene
Performs other assessment before assessing/treating threats to airway, breathing and circulation
Uses or orders a dangerous or inappropriate intervention
Oses of orders a dangerous of mappropriate intervention
You must factually document your rationale for checking any of the above critical items in the space below.
Comments: